










## COSHH ASSESSMENT FORM

<b>Risk Assessment Reference Number:</b> COSHH109		<b>Date of Assessment:</b> 31/10/2025	
<b>Assessor/s:</b> Jamie-Lee Macavoy		<b>Name of Substance:</b> ProMATIC Red Oxide Primer	
<b>Date of Safety Data Sheet (SDS):</b> 05/12/2016		<b>Manufacturer:</b> ProMATIC	
<b>Use (details of the way it is used):</b> use as per manufacturer guidelines.			
<b>Frequency of Exposure:</b> varies		<b>Duration of Exposure:</b> varies	
<b>Workplace Exposure Limit (WEL):</b>		<input type="checkbox"/> Not Assigned Acetone Dimethyl ether Butyl acetate 2-methoxy-1-methylethyl Butane Butna-1-ol Propan-2-ol	
		STEL 3620mg/m3 – STEL 1210mg/m3 STEL 958mg/m3 – TWA 766mg/m3 STEL 966mg/m3 – TWA 724mg/m3 STEL 548mg/m3 – TWA 274mg/m3 STEL 1810mg/m3 – TWA 1450mg/m3 STEL 154mg/m3 STEL 1250mg/m3 – TWA 999mg/m3	
<b>Hazard Warning Symbols associated with substance (circle):</b>			
			
			
			
Explosive	Corrosive	Flammable	Serious Health Hazard
		Health Hazard	Oxidising
			Toxic
			Hazardous to Environment
			Gas under Pressure

Worst Case Outcome					Likelihood					Risk Rating Outcome X Likelihood		
5	4	3	2	1	5	4	3	2	1	High	Medium	Low
Fatality	Severe Injury	Lost time Injury	Minor Injury	No Injury	Certain	Very likely	likely	Unlikely	Remote	15-25	10-12	1-9

Persons affected by the Activity	Identified Hazards	Control Measures Already in Place	Outcome	Likelihood	Risk Rating	Is further action required
----------------------------------	--------------------	-----------------------------------	---------	------------	-------------	----------------------------

						Yes/No
Employees/ Contractors/ Others	Respiratory problems due to inhalation	Only trained, competent personnel are authorised to use product. Product only to be used in well-ventilated areas.	2 Minor Injury	2 Unlikely	4 Low	No
Employees	Ingestion (gastrointestinal irritation)	Ensure hands are washed prior to eating, drinking and smoking.	2 Minor Injury	1 Remote	3 Low	No
Employees/ Contractors/ Others	Irritation of eyes and skin/dermatitis due to contact	Eye protection and protective gloves available. EN166 eye protection, EN374 Gloves. Use barrier creams available. Eye wash station available and adequate supply. Ensure good hygiene practices are followed.	3 Lost time Injury	2 Unlikely	6 Low	No
Employees/ Contractors/ Others	Fire and explosion	Minimal quantities are stored. Ordered as required. Suitable and sufficient fire extinguishers located in works areas. Use CO2, powder or water spray.	5 Fatality	1 Remote	5 Low	No
Environment	Pollution and contamination to ground and watercourse	Must be used in line with manufacturer's instructions. Must be disposed of in line with local waste conditions. Stop at source, contain and clean up spill. Avoid release into the environment.	1 No Injury	2 Unlikely	2 Low	No



Further Control Measures						Further Control Measures Follow up			
						Allocated to (Name)	Target date	Date completed	
Review date/s:									
Reviewed By:									