










COSHH ASSESSMENT FORM

Risk Assessment Reference Number: COSHH113		Date of Assessment: 31/10/2025	
Assessor/s: Jamie-Lee Macavoy		Name of Substance: Rapidac HB Primer Red Oxide	
Date of Safety Data Sheet (SDS): 21/08/2015		Manufacturer: Dacrylate Paints Ltd	
Use (details of the way it is used): use as per manufacturer guidelines.			
Frequency of Exposure: varies		Duration of Exposure: varies	
Workplace Exposure Limit (WEL):	<input type="checkbox"/> Not Assigned	Xylene Ethylbenzene Iso-butanol White spirit 2-methylpentane-2,4-diol	TWA 220mg/m3 – STEL 441mg/m3 TWA 441mg/m3 – STEL 552mg/m3 TWA 154mg/m3 – STEL 231mg/m3 TWA 350mg/m3 (Sk) TWA 123mg/m3 – STEL 123mg/m3
Hazard Warning Symbols associated with substance (circle):			
 Explosive	 Corrosive	 Flammable	 Serious Health Hazard
	 Health Hazard	 Oxidising	 Toxic
		 Hazardous to Environment	 Gas under Pressure

Worst Case Outcome					Likelihood					Risk Rating Outcome X Likelihood		
5	4	3	2	1	5	4	3	2	1	High	Medium	Low
Fatality	Severe Injury	Lost time Injury	Minor Injury	No Injury	Certain	Very likely	likely	Unlikely	Remote	15-25	10-12	1-9

Persons affected by the Activity	Identified Hazards	Control Measures Already in Place	Outcome	Likelihood	Risk Rating	Is further action required Yes/No

Employees/ Contractors/ Others	Respiratory problems due to inhalation	Only trained, competent personnel are authorised to use product. Product only to be used in well-ventilated areas.	2 Minor Injury	2 Unlikely	4 Low	No
Employees	Ingestion (gastrointestinal irritation)	Ensure hands are washed prior to eating, drinking and smoking.	2 Minor Injury	1 Remote	3 Low	No
Employees/ Contractors/ Others	Irritation of eyes and skin/dermatitis due to contact	Eye protection and protective gloves available. EN166 eye protection (goggles), EN374 Gloves (chemical resistant, impervious). Use barrier creams available. Eye wash station available and adequate supply. Ensure good hygiene practices are followed.	3 Lost time Injury	2 Unlikely	6 Low	No
Employees/ Contractors/ Others	Fire and explosion	Minimal quantities are stored. Ordered as required. Suitable and sufficient fire extinguishers located in works areas. Use fire extinguishing media suitable for the surrounding fire.	5 Fatality	1 Remote	5 Low	No
Environment	Pollution and contamination to ground and watercourse	Extinguish with foam, CO2 or dry powder. Must be used in line with manufacturer's instructions. Must be disposed of in line with local waste conditions. Stop at source, contain and clean up spill. Avoid release into the environment.	1 No Injury	2 Unlikely	2 Low	No



Further Control Measures						Further Control Measures Follow up					
						Allocated to (Name)	Target date	Date completed			
Review date/s:											
Reviewed By:											