










## COSHH ASSESSMENT FORM

<b>Risk Assessment Reference Number:</b> COSHH23		<b>Date of Assessment:</b> 31/10/2025	
<b>Assessor/s:</b> Jamie-Lee Macavoy		<b>Name of Substance:</b> Siroflex contractors caulk acrylic	
<b>Date of Safety Data Sheet (SDS):</b> 28/05/2014		<b>Manufacturer:</b> SX Siroflex	
<b>Use (details of the way it is used):</b> Sealing and filling of interior gaps and cracks where movement can occur, such as those between skirting boards, ceilings, architraves, plasterwork, window and door frames.			
<b>Frequency of Exposure:</b> infrequent use		<b>Duration of Exposure:</b> short duration	
<b>Workplace Exposure Limit (WEL):</b> <input type="checkbox"/> Not Assigned		28553-12-0 di-"isononyl" phthalate	5mg/m <sup>3</sup>
<b>Hazard Warning Symbols associated with substance (circle):</b>			
 Explosive	 Corrosive	 Flammable	 Serious Health Hazard
		 Health Hazard	 Oxidising
		 Toxic	 Hazardous to Environment
		 Gas under Pressure	

Worst Case Outcome					Likelihood					Risk Rating Outcome X Likelihood		
5	4	3	2	1	5	4	3	2	1	High	Medium	Low
Fatality	Severe Injury	Lost time Injury	Minor Injury	No Injury	Certain	Very likely	likely	Unlikely	Remote	15-25	10-12	1-9

Persons affected by the Activity	Identified Hazards	Control Measures Already in Place	Outcome	Likelihood	Risk Rating	Is further action required Yes/No



Employees/ Contractors/ Others	Respiratory problems due to inhalation	Only trained, competent personnel are authorised to use product. Product only to be used in well ventilated areas. Product must not be used in corridors or walkways.	2 Minor Injury	2 Unlikely	4 Low	No
Employees	Ingestion (gastrointestinal irritation)	Ensure hands are washed prior to eating, drinking and smoking.	2 Minor Injury	1 Remote	3 Low	No
Employees/ Contractors/ Others	Irritation of eyes and skin/dermatitis due to contact	Eye protection and protective gloves available and worn. EN166 eye protection, EN374 Gloves. Wear appropriate clothing to prevent repeated or prolonged skin contact. Use barrier creams available. Eye wash station available and adequate supply. Ensure good hygiene practices are followed.	3 Lost time Injury	2 Unlikely	6 Low	No
Employees/ Contractors/ Others	Fire and explosion	Minimal quantities are stored. Ordered as required. Suitable and sufficient fire extinguishers located in works areas. Product not used or stored in close proximity to sources of ignition.	5 Fatality	1 Remote	5 Low	No
Environment	Pollution and contamination to ground and watercourse	Must be stored in line with manufacturers recommendations. Must be used in line with manufacturer's instructions. Must be disposed of in line with local waste conditions. Stop at source, contain and clean up spills immediately.	1 No Injury	2 Unlikely	2 Low	No

**Further Control Measures**

**Further Control Measures Follow up**

Owner: Head of Group Compliance and Transport Service	Version: 2	LF241
Uncontrolled if printed or copied. Always check for latest version.		Page 2 of 3



						Allocated to (Name)	Target date	Date completed
Review date/s:								
Reviewed By:								