



COSHH ASSESSMENT FORM

Risk Assessment Reference Number: COSHH38	Date of Assessment: 31/10/2025
Assessor/s: Jamie-Lee Macavoy	Name of Substance: Airwick Freshmatic Pure Air Freshener
Date of Safety Data Sheet (SDS): 19/06/2018	Manufacturer: RB UK Hygiene Home Commercial Ltd
Use (details of the way it is used): neutralises odours to provide a fresh scent. Use in line manufacturer's instructions on packaging.	

Frequency of Exposure: infrequent	Duration of Exposure: short duration
Workplace Exposure Limit (WEL):	<input type="checkbox"/> Not Assigned Butane Ethanol Propane Methanol
	800 ppm 1900 mg/m ³ 8 hours 1000 ppm 1920 mg/m ³ 8 hours OELV-8hr: 1000 ppm 8 hours 200 ppm 260 mg/m ³ 8 hours.

Hazard Warning Symbols associated with substance (circle):

								
Explosive	Corrosive	Flammable	Serious Health Hazard	Health Hazard	Oxidising	Toxic	Hazardous to Environment	Gas under Pressure

Worst Case Outcome				
5	4	3	2	1
Fatality	Severe Injury	Lost time Injury	Minor Injury	No Injury

Likelihood				
5	4	3	2	1
Certain	Very likely	likely	Unlikely	Remote

Risk Rating Outcome X Likelihood		
High	Medium	Low
15-25	10-12	1-9

Persons affected by the Activity	Identified Hazards	Control Measures Already in Place	Outcome	Likelihood	Risk Rating	Is further action required Yes/No
Employees/ Contractors/	Respiratory problems due to inhalation	Only trained, competent personnel are authorised to use product.	2	2 Unlikely	4 Low	No



Others		Product only to be used in well ventilated areas. FFP3 masks available for use.	Minor Injury			
Employees	Ingestion	Ensure hands are washed prior to eating, drinking and smoking.	2 Minor Injury	1 Remote	3 Low	No
Employees/ Contractors/ Others	Irritation of eyes and skin/dermatitis due to contact	Eye protection and protective gloves (chemical resistant) available. EN166 eye protection, EN374 Gloves. Spray away from body – do not spray if others are present. Eye wash station available and adequate supply. Ensure good hygiene practices are followed.	3 Lost time Injury	2 Unlikely	6 Low	No
Employees/ Contractors/ Others	Fire and explosion	Minimal quantities are stored. Ordered as required. Suitable and sufficient fire extinguishers located in works areas. Product not used or stored in close proximity to sources of ignition.	5 Fatality	1 Remote	5 Low	No
Environment	Pollution and contamination to ground and watercourse	Must be stored in line with manufacturers recommendations. Must be used in line with manufacturer's instructions. Must be disposed of in line with local waste conditions. Contain and clean up spills immediately.	1 No Injury	2 Unlikely	2 Low	No

Further Control Measures	Further Control Measures Follow up
---------------------------------	---

Owner: Head of Group Compliance and Transport Service	Version: 2	LF241
Uncontrolled if printed or copied. Always check for latest version.		Page 2 of 3



							Allocated to (Name)	Target date	Date completed
Review date/s:									
Reviewed By:									