







COSHH ASSESSMENT FORM

Risk Assessment Reference Number: COSHH40	Date of Assessment: 31/10/2025
Assessor/s: Jamie-Lee Macavoy	Name of Substance: Duck Toilet Cleaner
Date of Safety Data Sheet (SDS): 04/09/2014	Manufacturer: SC Johnson Ltd
Use (details of the way it is used): Used to clean toilets, for use in toilet bowls only. Use in line with manufacturer's instructions on packaging.	

Frequency of Exposure: varies	Duration of Exposure: short duration
Workplace Exposure Limit (WEL): <input checked="" type="checkbox"/> Not Assigned	

Hazard Warning Symbols associated with substance (circle):

								
Explosive	Corrosive	Flammable	Serious Health Hazard	Health Hazard	Oxidising	Toxic	Hazardous to Environment	Gas under Pressure

Worst Case Outcome				
5	4	3	2	1
Fatality	Severe Injury	Lost time Injury	Minor Injury	No Injury

Likelihood				
5	4	3	2	1
Certain	Very likely	likely	Unlikely	Remote

Risk Rating Outcome X Likelihood		
High	Medium	Low
15-25	10-12	1-9

Persons affected by the Activity	Identified Hazards	Control Measures Already in Place	Outcome	Likelihood	Risk Rating	Is further action required Yes/No
Employees/ Contractors/ Others	Respiratory problems due to inhalation	Used in line with manufacturer's instructions. Do not mix with bleach or any other household cleaners.	2 Minor Injury	2 Unlikely	4 Low	No



Employees	Ingestion	Ensure hands are washed prior to eating, drinking and smoking. No adverse effects expected when used as directed	2 Minor Injury	1 Remote	3 Low	No
Employees/ Contractors/ Others	Irritation of eyes and skin/dermatitis due to contact	Eye wash station available and adequate supply. Ensure good hygiene practices are followed. Rinse immediately if eyes are exposed.	3 Lost time Injury	2 Unlikely	6 Low	No
Environment	Pollution and contamination to ground and watercourse	Must be stored in line with manufacturers recommendations. Must be used in line with manufacturer's instructions. Must be disposed of in line with local waste conditions. Stop at source, contain and clean up spills immediately.	1 No Injury	2 Unlikely	2 Low	No

Further Control Measures						Further Control Measures Follow up					
						Allocated to (Name)		Target date		Date completed	
Review date/s:											
Reviewed By:											